

**Cable markers**  
**CLI M 2-4 GE/SW E MP**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



{Reference (Object) not found: prod32188158582590}

**General ordering data**

Order No.	<a href="#">1733651645</a>
Type	CLI M 2-4 GE/SW E MP
Version	Cable markers, 4 x 11.3 mm, PVC, soft, without Cadmium, Colour: Yellow
GTIN (EAN)	4008190398095
Qty.	100 pc(s).

## Cable markers CLI M 2-4 GE/SW E MP

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Length	4 mm	Width	11.3 mm
Height	3 mm	Depth	3 mm
Net weight	0.13 g		

### Markings

Cadmium	No	Can be printed with plotter	No
Colour	Yellow	Colour of printing	Black
Conductor O.D.	10 - 317 mm	Conductor cross-section, max.	500 mm <sup>2</sup>
Conductor cross-section, min.	16 mm <sup>2</sup>	Halogen	Yes
Insulation cross-section, max.	40 mm	Material	PVC, soft, without Cadmium
Material colour according to resistance code	4	Operating temperature range, max.	80 °C
Operating temperature range, min.	-30 °C	Orientation of print	horizontal
Pin can be written (STI)	No	Printed characters	Upper-case letters
Printing method	Laser print	Silicone	No
Type of printing	Standard	UL 94 flammability rating	V-0

### Classifications

ETIM 2.0	EC001530	ETIM 3.0	EC001530
UNSPSC	44-12-17-08	eClass 4.1	24-19-02-19
eClass 5.1	27-14-91-03	eClass 6.2	27-14-91-29
eClass 7.1	27-14-91-29		

### Approvals

Approvals	
ROHS	Conform

**Data sheet...**

**Cable markers**  
**CLI M 2-4 GE/SW E MP**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



Product is similar to illustration