


Cable markers
CLI M 2-4 GE/SW 9 MP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



{Reference (Object) not found: prod32188300977192}

General ordering data

| | |
|------------|--|
| Order No. | 1733651529 |
| Type | CLI M 2-4 GE/SW 9 MP |
| Version | Cable markers, 4 x 11.3 mm, PVC, soft, without Cadmium, Colour: Yellow |
| GTIN (EAN) | 4008190398040 |
| Qty. | 100 pc(s). |

Cable markers CLI M 2-4 GE/SW 9 MP

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|--------|-------|---------|
| Length | 4 mm | Width | 11.3 mm |
| Height | 3 mm | Depth | 3 mm |
| Net weight | 0.12 g | | |

Markings

| | | | |
|-----------------------------------|----------------------------|--|---------------------|
| Cadmium | No | Can be printed with plotter | No |
| Colour | Yellow | Colour of printing | Black |
| Conductor O.D. | 10 - 317mm | Conductor cross-section, max. | 500 mm ² |
| Conductor cross-section, min. | 16 mm ² | Insulation cross-section, max. | 40 mm |
| Material | PVC, soft, without Cadmium | Material colour according to resistance code | 4 |
| Operating temperature range, max. | 80 °C | Operating temperature range, min. | -30 °C |
| Orientation of print | horizontal | Pin can be written (STI) | No |
| Printed characters | Numbers | Printing method | Laser print |
| Silicone | No | Type of printing | Standard |
| UL 94 flammability rating | V-0 | | |

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 2.0 | EC001530 | ETIM 3.0 | EC001530 |
| UNSPSC | 44-12-17-08 | eClass 4.1 | 24-19-02-19 |
| eClass 5.1 | 27-14-91-03 | eClass 6.0 | 27-14-91-29 |
| eClass 7.0 | 27-14-91-29 | | |

Approvals

Approvals

Data sheet...

Cable markers
CLI M 2-4 GE/SW 9 MP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings



Product is similar to illustration