


PRODUCT-DETAILS

## US/U4.2

### US/U4.2 Universal Interface, 4-fold, FM



#### Informations générales

Extension du type de produit	US/U4.2
Code de produit	GHQ6310070R0111
EAN	4016779564816
Description courte	US/U4.2 Universal Interface, 4-fold, FM
Description longue	The Universal Interface has 4 channels which can be parameterised as inputs or outputs, e.g. for connection of conventional push-buttons, auxiliary contacts, LEDs and electronic relays ER/U 1.1. Requires ETS2 V1.2a.

#### Commande

EAN	4016779564816
Code douanier	85176200
Quantité minimum	1 pièce
E-Number (Switzerland)	405830105
E-Number (Finland)	2815195
E-Number (Sweden)	1750164

#### Dimensions

Produit Longueur Net	40 mm
Produit Hauteur Net	39 mm
Produit Largeur Net	12 mm
Poids net	0.044 kg

---

## Emballage

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 EAN	4016779564816
Emballage Niveau 1 Longueur	23 mm
Emballage Niveau 1 Hauteur	65 mm
Emballage Niveau 1 Largeur	92 mm
Emballage Niveau 1 Poids	0.06 kg

---



---

## Technique

Compatible Bus Systems	KNX (TP)
Indice de protection	IP20
Type de montage	Flush Mounted

---



---

## Certificats et Déclarations (Numéro de document)

CB Certificate	9AKK107991A3201
Fiche produit, informations techniques	2CDC504021D0201 2CDC504023D0202
Déclaration de Conformité - CE	2CDK510013D2701
Instructions et manuels	GHQ6307072P0004
Informations RoHS	2CDK510013D2701

---



---

## Environnement

Statut RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

---



---

## Classifications

ETIM 7	EC001584 - I/O device for bus system
ETIM 8	EC001584 - I/O device for bus system
eClass	V11.0 : 27143145
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

## Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Inputs → Universal Interfaces

