


PRODUCT-DETAILS

US/U12.2

US/U12.2 Universal Interface, 12-fold, FM



Informations générales

Extension du type de produit	US/U12.2
Code de produit	2CDG110065R0011
EAN	4016779650120
Description courte	US/U12.2 Universal Interface, 12-fold, FM
Description longue	The Universal Interface has 12 channels which can be parameterised as inputs or outputs, e.g. for connection of conventional push-buttons or LEDs. The LEDs are supplied by the device (1.5 mA), the series resistances are integrated.

Commande

EAN	4016779650120
Code douanier	85176200
Quantité minimum	1 pièce
E-Number (Switzerland)	305830105
E-Number (Finland)	2815193
E-Number (Sweden)	1750127

Dimensions

Produit Longueur Net	54 mm
Produit Hauteur Net	19 mm
Produit Largeur Net	54 mm
Poids net	0.068 kg

Emballage

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 EAN	4016779650120
Emballage Niveau 1 Longueur	23 mm
Emballage Niveau 1 Hauteur	65 mm
Emballage Niveau 1 Largeur	92 mm
Emballage Niveau 1 Poids	0.08 kg

Technique

Compatible Bus Systems	KNX (TP)
Indice de protection	IP20
Type de montage	Flush Mounted

Certificats et Déclarations (Numéro de document)

CB Certificate	9AKK107991A3201
Fiche produit, informations techniques	2CDC504056D0201
Déclaration de Conformité - CE	2CDK510080D2701
Instructions et manuels	2CDG941021P0002
Informations RoHS	2CDK510080D2701

Environnement

Statut RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC001584 - I/O device for bus system
ETIM 8	EC001584 - I/O device for bus system
eClass	V11.0 : 27143145
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Inputs → Universal Interfaces

