

**Crimping tool  
PZ 3**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

|            |  |
|------------|--|
| Order No.  | <a href="#">0567300000</a>   |
| Type       | PZ 3   |
| Version    | Crimping tool, Crimping tool for wire-end ferrules, 0.5 mm <sup>2</sup> , 6 mm <sup>2</sup> , Square crimp |
| GTIN (EAN) | 4008190052423  |
| Qty.       | 1 pc(s).   |

**Crimping tool  
PZ 3**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-2083  
 www.weidmueller.com

**Technical data**
**Dimensions**

|            |          |        |       |
|------------|----------|--------|-------|
| Length     | 200 mm   | Weight | 426 g |
| Net weight | 427.56 g |        |       |

**Technical data**

|         |   |
|---------|---|
| Version | Mechanical, without interchangeable inserts |
|---------|---|

**Contact description**

|                      |  |                      |                     |
|----------------------|--|----------------------|---------------------|
| Type of contact      | Wire-end ferrules with/without plastic collars | Crimping range, min. | 0.5 mm <sup>2</sup> |
| Crimping range, max. | 6 mm <sup>2</sup>                              |                      |                     |

**Tool data - crimping**

|                                       |                   |                                       |                     |
|---------------------------------------|-------------------|---------------------------------------|---------------------|
| Crimping type/profile                 | Square crimp      | Wire end ferrules cross-section, min. | 0.5 mm <sup>2</sup> |
| Wire end ferrules cross-section, max. | 6 mm <sup>2</sup> |                                       |                     |

**Classifications**

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 2.0   | EC000168    | ETIM 3.0   | EC000168    |
| UNSPSC     | 23-17-16-04 | eClass 4.1 | 21-04-03-01 |
| eClass 5.1 | 21-04-03-01 | eClass 6.0 | 21-04-38-90 |
| eClass 7.0 | 21-04-38-90 |            |             |

**Product information**

|                              |   |
|------------------------------|---|
| Descriptive text accessories | Information and ordering data for wire end ferrules - see chapter J accessories wire end ferrules   |
| Description of article       | Crimping tool for wire end ferrules with/without plastic collar, 0,5 bis 6 mm <sup>2</sup>  |
| Product description          | <ul style="list-style-type: none"> <li>• Only one die for the whole cross-section range</li> <li>• Wire-end ferrule insertion from the front</li> </ul> |

**Crimping tool  
PZ 3**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

