

Colliers de serrage - Maxi

Largeur 20 mm

- Qualité W1:
 - bande et manchon : galvanisés
 - vis : galvanisée, bleue, hexagonale, fendue SW 13mm
- Qualité W5:
 - bande, manchon et vis : acier au nickel-chrome 1.4401(V4A), hexagonale, fendue SW 13mm



Largeur mm	Capacité mm	N° de Cde	
		W1	W5
20	60 - 80	63.48.11.43	63.50.29.67
20	70 - 90	63.48.12.44	63.50.30.68
20	90 - 120	63.48.13.45	63.50.31.69
20	105 - 130	63.48.14.46	63.50.32.70
20	122 - 157	63.48.15.47	63.50.33.71
20	142 - 177	63.48.16.48	63.50.34.72
20	167 - 202	63.48.17.49	63.50.35.73
20	192 - 227	63.48.18.50	63.50.36.74
20	217 - 252	63.48.19.51	63.50.37.75
20	242 - 277	01.91.75.66	08.95.44.13
20	267 - 302	01.91.76.67	10.73.45.63
20	292 - 327	01.91.77.68	08.95.45.14

Colliers de serrage - Mini

Largeur 5 mm

- Qualité W2:
 - bande et manchon : acier au chrome n°. 1.4016
 - vis : galvanisée, bleue, hexagonale, fendue SW 6mm
- Qualité W4:
 - bande, manchon et vis : acier au nickel-chrome 1.4301(V2A)
 - hexagonale, fendue SW 6mm



Largeur mm	Capacité mm	N° de Cde	
		W2	W4
5	7 - 11	63.48.22.54	63.49.11.46
5	10 - 18	63.48.23.55	63.49.12.47
5	12 - 20	01.91.51.42	01.92.19.13
5	12 - 22	63.48.24.56	63.49.13.48
5	16 - 25	63.48.25.57	63.49.14.49
5	20 - 27	63.48.26.58	63.49.15.50
5	20 - 32	63.48.27.59	63.49.16.51
5	27 - 35	63.48.28.60	63.49.17.52
5	25 - 40	63.48.29.61	63.49.18.53
5	30 - 45	63.48.30.62	63.49.19.54
5	35 - 50	63.48.31.63	63.49.20.55
5	45 - 60	63.48.32.64	63.49.21.56
5	55 - 70	63.48.33.65	63.49.22.57
5	65 - 80	63.48.34.66	63.49.23.58
5	75 - 90	63.48.35.67	63.49.24.59
5	85 - 100	63.48.36.68	63.49.25.60
5	95 - 110	63.48.37.69	63.49.26.61
5	105 - 120	63.48.38.70	63.49.27.62
5	115 - 130	63.48.39.71	63.49.28.63
5	125 - 140	63.48.40.72	63.49.29.64
5	135 - 150	63.48.41.73	63.49.30.65
5	145 - 160	63.48.42.74	63.49.31.66
5	155 - 170	63.48.43.75	63.49.32.67
5	165 - 180	63.48.44.76	63.49.33.68
5	175 - 190	63.48.45.77	63.49.34.69
5	185 - 200	63.48.46.78	63.49.35.70
5	195 - 210	63.48.47.79	63.49.36.71
5	205 - 220	63.48.48.80	63.49.37.72
5	215 - 230	63.48.49.81	63.49.38.73
5	225 - 240	63.48.50.82	63.49.39.74
5	235 - 250	63.48.51.83	63.49.40.75