

LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 200A, AC 500V/DC 440V



Model		
product brand name		SENTRON
Product designation		LV HRC fuse link
Design of an identification indicator		Front indicators
Design of the switching contact		Non-corroding, silver-plated
Design of the fuse link		LV HRC fuse link
General technical data		
Size of fuse system / acc. to DIN EN 60269-1		NH1
Operating class of the fuse link		gG
circuit-breaker / Design		3NA3
Mounting type		Non-insulated grip lugs
Protection class		
Protection class IP		IP20, with connected conductors
Switching capacity		
Switching capacity current		
<ul style="list-style-type: none"> for DC / acc. to IEC 60947-2 / Rated value 	kA	25
<ul style="list-style-type: none"> acc. to IEC 60947-2 / Rated value 	kA	120
Dissipation		

Active power loss

- for rated value of the current / with AC / in hot operating state / per pole

W 15

Electricity**rated current I_n / IEC, DIN/VDE**

- at 40 Cel

A 190

Current / with AC

- Rated value

A 200

Net weight

g 452

Appearance**Mechanical Design****Width**

- of the enclosure

mm 47.2

mounting position

Any, preferably vertical

Environmental conditions**Ambient temperature**

- minimum
- maximum
- during storage / Note

°C -5

°C 40

Air humidity 90% at 20 °C

Climate class

-20 to +50 at 95% relative humidity

Certificates**Reference code**

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F

F

General Product Approval**Declaration of Conformity**

CSA



KEMA



GOST



VDE



EG-Konf.

Test Certificates**Shipping Approval**

[Type Test
Certificates/Test
Report](#)

[Special Test
Certificate](#)



GL

[Environmental
Confirmations](#)

Further information**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NA3140>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NA3140/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3NA3140

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

21.10.2014