



SIGNALLING COLUMN STEADY LIGHT LED GREEN,
24V AC/DC

General technical details:		
product brand name		SIRIUS
product designation		signaling columns element, optical
Product component / fluorescent materials		Yes
Design of the optical signal		continuous light
Type of voltage		
<ul style="list-style-type: none"> • of the operating voltage • of the supply voltage • of the fluorescent material 		AC/DC
		AC/DC
Operating frequency		
<ul style="list-style-type: none"> • 1 / rated value • 2 / rated value 	Hz	50
	Hz	60
Operating voltage		
<ul style="list-style-type: none"> • 1 / for DC / rated value • 1 / at 50 Hz / for AC / rated value • 1 / at 60 Hz / for AC / rated value 	V	24
	V	24
	V	24
Consumed current / for rated value of supply voltage	mA	45
Supply voltage		
<ul style="list-style-type: none"> • 1 / of the fluorescent material / at 50 Hz / for AC / rated value • 1 / of the fluorescent material / at 60 Hz / for AC / rated value 	V	24
	V	24

• 1 / of the fluorescent material / for DC / rated value	V	24
Item designation		
• according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		H
• according to DIN EN 61346-2		P

Mechanical design:

Color / of the optical signal element		green
External diameter / of the signal column element	mm	70

Lamp:

Nature of fluorescent material		LED
---------------------------------------	--	-----

Ambient conditions:




Ambient temperature		
• during operating	°C	-20 ... +50
Protection class IP		IP65
Depth	mm	70
Height	mm	56
Width	mm	70

Certificates/approvals:

General Product Approval	EMC	Declaration of Conformity	Shipping Approval
			
			

Further information:

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/industrial-controls/catalogs>
- Industry Mall (Online ordering system)**
<http://www.siemens.com/industrial-controls/mall>
- Cax online generator:**
<http://www.siemens.com/cax>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<http://support.automation.siemens.com/WW/view/en/8WD4420-5AC/all>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4420-5AC



\W9.4444;
\W6.8333; 8WD44...-

last change:

Mar 18, 2013